

Location Adak to *Laysan*
~~52° 19' N 179° 28' E~~

Observer *Mat Thompson*

Date *30 September, 1965* Time *1600* to *1920*

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross								
Black-footed Albatross	/							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Short-tail Shearwater</i>			<i>2,022</i>					<i>2-3000 in one group</i>
<i>Fulmar</i>			<i>200±</i>					
<i>Mottled Petrel</i>	<i>5</i>							
<i>Leach's Storm Petrel</i>	<i>1</i>							
<i>Black legged Kittiwake</i>	<i>3</i>							
<i>Common Eider</i>		<i>12</i>						

September
 1965

Location 52° 18' N T 179° 21' E

to 52° 30' N T 176° 50' E

Observer Max Thompson

Date 1 October, 1965 Time 0700 to 1900

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	1+							(6 sightings)
Black-footed Albatross	1+							(4 ")
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover	1							
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Rhinoceros Auklet	1							Short-tail Shearwater = 1
Fulmar		19						Crested Auklet = 1
Black-leg Kittiwake			114					Sooty Shearwater = 5
Fork-tail Petrel	3							Glaucous wing Gull = 1
Pomarine Jaeger	2							Parakeet Auklet = 1
Tufted Puffin	3							
Horned Puffin	3							
Shearwater		61						
Jaeger	1							
Cormorant	1							
Gull	4							
Alcid		11						

OCTOBER
1965

Location $52^{\circ}25'N$ $173^{\circ}00'E$ to $52^{\circ}01'N$ $172^{\circ}58'E$

Observer Max Thompson

Date 2 October, 1965 Time 0750 to 1900

Weather

(-1 km. observation)

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	1							
Black-footed Albatross	1+							(4 sightings)
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover	5							
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Black legged Kittiwake			142					
Pomarine Jaeger		16						(most of 5 at one time)
Short-tail Shearwater		16						
Sooty Shearwater	9	16						
Plumbeous-winged Gull		20						
Fulmar		15 ±						
Parasitic Jaeger	3							
Mottled Petrel	2							
Sooty? Shearwater	5							
Shearwater-Fulmar	5							
Shearwater				2523+				

Location $51^{\circ}58'N$ $172^{\circ}53'E$ to $51^{\circ}00'N$ $173^{\circ}00'E$
 Observer MAX Thompson Date 3 October, 1965 Time 0730 to 1740
 Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	3+							
Black-footed Albatross	2+							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Fulmar	6							Harlequin Duck = 1
Glaucous Gull	4							Thick-bill Murre = 2
Black-leg Kittiwake		62						Harold Puffin = 1
Pomarine Jaeger	5							Tufted Puffin = 1
Mottled Petrel	5							Empereur Goose = 4
Sooty Shearwater	3							
Short-tail Shearwater	6							
Leach's Storm Petrel		47						
Cormorant	1							Alcid = 2
Tern	1							Sooty? Shearwater = 2
Jaeger	1							
Shearwater			813					

Location $51^{\circ}17'N$ $172^{\circ}47'E$ to $50^{\circ}15'N$ $172^{\circ}57'E$

Observer Max Thompson

Date 4 October, 1965 Time 0755 to 1700

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	6+							
Black-footed Albatross	14+							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone	1							
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Black-leg Kittiwake		81						Short-tail Shearwater = 1
Fulmar		13						Sooty Shearwater = 1
Fork-tail Petrel	3							Pomarine Jaeger = 1
Glaucous-wing gull	1							Tufted Puffin = 1
Herring Gull	1							
Leach's Storm Petrel		22						
Alcid	4							
Shearwater - Fulmar	3							
Shearwater - Petrel		10						
Shearwater		68						
Jaeger	6							

Location $50^{\circ}19'N \rightarrow 172^{\circ}59'E$ to $49^{\circ}32'N \rightarrow 173^{\circ}00'E$

Observer Max Thompson

Date 5 October, 1965 Time 0736 to

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	3+							
Black-footed Albatross	4+							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Pomarine Jaeger	5							Sooty Shearwater = 2
Blue-leg Kittiwake			173					
Fulmar	5							
Leach's Storm Petrel	8							
Tufted Puffin	4							
Thick-billed Murre	2							
Shorebird	1							
Shearwater-Petrel	5							
Shearwater		10						
Jaeger	4							
Gull	1							
Alcid	5							

Location $49^{\circ}17'N \rightarrow 172^{\circ}56'E$ to $48^{\circ}39'N \rightarrow 172^{\circ}57'E$
 Observer Max Thompson Date 6 October, 1965 Time 0820 to 1730
 Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	5+							
Black-footed Albatross	2+							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Fulmar		15						
Black-leg Kittiwake		17						
Sooty Shearwater	2							
Short-tail Shearwater	1							
Mottled Petrel	7							
Tufted Puffin	5							
Pomarine Jaeger	1							
Leach's Storm Petrel	1							
Jaeger	4							
Alcid	3							
Shearwater-Petrel	6							
Shearwater		26						

Location $48^{\circ} 20' N \rightarrow 173^{\circ} 00' E$ to $48^{\circ} 55' N \rightarrow 173^{\circ} 01' E$
 Observer *Max Thompson* Date *7 October, 1965* Time *0800 to 1400*
 Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	9							
Black-footed Albatross	2							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Blood by Kittiwake</i>		29						
<i>Fulmar</i>	7							
<i>Pomarine Jaeger</i>	1							
<i>Tufted Puffin</i>	1							
<i>Leach's Storm Petrel</i>	4							
<i>Mottled Petrel</i>	1							
<i>Jaeger</i>	3							
<i>Shearwater</i>	2							

Location $48^{\circ}40'N$ \rightarrow $173^{\circ}00'E$ to $47^{\circ}55'N$ \rightarrow $173^{\circ}00'E$
 Observer _____ Date 8 October, 1967 Time 0755 to 1600
 Weather _____

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	17	4						
Black-footed Albatross	1							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Black leg Kittiwake			179					
Pomarine Jaeger	2							
Sooty Shearwater	3							
Fulmar	4							
Tufted Puffin	3							
Jaeger	4							
Shearwater	9							

Location $47^{\circ}30'N$ $173^{\circ}15'E$ ~~4~~

Observer

Date 9 October, 1965 Time 0815 to 1530

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	60+							
Black-footed Albatross	10+							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Black-leg Kittiwake</i>		55						
<i>Tufted Puffin</i>	1							
<i>Fulmar</i>		11						
<i>Sooty Shearwater</i>		50						
<i>Alcid</i>	1							
<i>Shearwater</i>	2							

Location $47^{\circ} 20' N \rightarrow 173^{\circ} 20' E$ to $46^{\circ} 46' N \rightarrow 173^{\circ} 30' E$

Observer *Mal Thompson*

Date 10 October, 1965 Time 0738 to 1648

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	5+							
Black-footed Albatross	2+							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover	2							
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Black-leg Kittiwake</i>		36						
<i>Fulmar</i>	4							
<i>Sooty Shearwater</i>		26						
<i>Mottled Petrel</i>	1							
<i>Tufted Puffin</i>	3							
<i>Cook's Petrel</i>	3							
<i>Parasitic Jaeger</i>	2							
<i>Storm Petrel</i>	1							
<i>Jaeger</i>	1							
<i>Aleut</i>	3							
<i>Shearwater-Petrel</i>		17						
<i>Shearwater</i>	1							

Location $46^{\circ}26'N$ $172^{\circ}45'E$ to $45^{\circ}51'N$ $173^{\circ}02'E$
 Observer *M. Thompson* Date *11 October, 1965* Time *0800* to *1850*
 Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	20+							
Black-footed Albatross	5+							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover	1							
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Black leg Kittiwake</i>			212					
<i>Sooty Shearwater</i>			140					
<i>Tufted Puffin</i>	2							
<i>Cook's Petrel</i>	4							
<i>Fairy Tern</i>	2							
<i>Shearwater-Petrel</i>	7							
<i>Shearwater</i>	1							
<i>Fairy Tern</i>	1							

Location $45^{\circ}51'N$ \rightarrow $173^{\circ}04'E$ to $44^{\circ}51'N$ \rightarrow $173^{\circ}02'E$

Observer *Max Thompson*

Date *12 October, 1965* Time *0730* to *1734*

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	30							
Black-footed Albatross	10							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>New Zealand Shearwater</i>			107					
<i>Pale-footed Shearwater</i>			103					
<i>Black-leg Kittiwake</i>			470+					
<i>Fork-tail Petrel</i>	5							
<i>Sooty Shearwater</i>			212					
<i>Tufted Puffin</i>	1							
<i>Fulmar</i>	1							
<i>Shearwater-petrel</i>	3							
<i>Shearwater</i>	7							
<i>Jaeger</i>	1							

Location 44°40'N 173°02'E to 43°33'N 173°04'E

Observer M. A. + Thompson

Date 13 October, 1965 Time 0800 to 1840

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	30	✓						
Black-footed Albatross	10	✓						
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Sooty Shearwater		10						
Pale-footed Shearwater		22						
Black leg Kittiwake	1							
Fulmar	7							
Herring Gull	1							
Mottled Petrel		12						
Leach's Storm Petrel	1							
Tufted Puffin	1							
Storm Petrel		22						
Shearwater-Petrel		13						
Shearwater		13						

Location $41^{\circ}56'N \rightarrow 173^{\circ}00'W$ to $41^{\circ}00'N \rightarrow 173^{\circ}00'E$
 Observer *Mat Thompson* Date *14 October, 1965* Time *0805'* to *1820*
 Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	2+							
Black-footed Albatross	10							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Sooty Shearwater</i>	<i>6</i>							
<i>Leach's Storm Petrel</i>		<i>57</i>						
<i>Fork-tail Petrel</i>	<i>1</i>							
<i>Red Phalarope</i>	<i>3</i>							
<i>Mottled Petrel</i>	<i>1</i>							
<i>Cook Petrel</i>	<i>2</i>							
<i>Pale-footed Shearwater</i>	<i>1</i>							
<i>Black-leg Kittiwake</i>	<i>?</i>							
<i>Shear</i>	<i>1</i>							
<i>Phalarope</i>	<i>1</i>							
<i>Shearwater-Petrel</i>	<i>5</i>							
<i>Storm Petrel</i>	<i>1</i>							

Location $41^{\circ}00'N$ $173^{\circ}00'E$ to $47^{\circ}22'N$ $173^{\circ}00'E$

Observer *M. A. Thompson*

Date *15 October, 1965* Time *0900 to 1805*

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Red Phalarope</i>		<i>34</i>						
<i>Scofield's Storm Petrel</i>			<i>159</i>					
<i>Cook's Petrel</i>	<i>1</i>							
<i>Mottled Petrel</i>	<i>1</i>							
<i>Pale-footed Shearwater</i>	<i>1</i>							
<i>Pterodroma</i>	<i>6</i>							
<i>Shorebird</i>	<i>2</i>							
<i>Shearwater-Petrel</i>	<i>3</i>							
<i>Phalarope</i>		<i>33</i>						

Location 43°30'N 173°00'E to 45°10'N 173°00'E

Observer M A Thompson

Date 16 October, 1965 Time 0815 to 1817

Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	8+							
Black-footed Albatross	2+							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel		11						
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Sooty Shearwater			449					Pterodroma = 6
Short-tail Shearwater	1							Storm Petrel = 4
Pale footed Shearwater	6							Shearwater = 3
New Zealand Shearwater	4							Fueryer = 3
Leach's Storm Petrel		55						Shearwater - Petrel = 7
Fork-tail Petrel		32						
Mottled Petrel	6							
Blood-leg Kittiwake		67						
Skua	1							
Fulmar		16						
Horned Puffin	2							
Tufted Puffin	4							

Location $47^{\circ}05'N$ $173^{\circ}00'E$ to $47^{\circ}44'N$ $173^{\circ}03'E$
 Observer *W. H. Thompson* Date *17 October, 1965* Time *0800* to *1757*
 Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	3+							
Black-footed Albatross	1							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Sooty Shearwater</i>		49						<i>Shearwater - Petrel = 6</i>
<i>Pale-footed Shearwater</i>		25						<i>Jaeger = 8</i>
<i>New Zealand Shearwater</i>		21						<i>Shearwater = 15</i>
<i>Fulmar</i>		14						<i>Alcid = 1</i>
<i>Mottled Petrel</i>	1							<i>Storm Petrel = 2</i>
<i>Black-leg Kittiwake</i>			309					
<i>Pomarine Jaeger</i>	4							
<i>Parasitic Jaeger</i>	2							
<i>Skua</i>	1							
<i>Tufted Puffin</i>		55						
<i>Fork-tail Petrel</i>	2							

Location $49^{\circ}46'N$ \rightarrow $177^{\circ}30'E$ to $50^{\circ}04'N$ \rightarrow $178^{\circ}44'E$
 Observer *Mat Thompson* Date *18 October, 1965* Time *0753 to 1800*
 Weather

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross	/							} one hybrid observed
Black-footed Albatross	/							
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover	/							
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Black-leg Kittiwake</i>			<i>122</i>					<i>Gull = 2</i>
<i>Fulmar</i>		<i>10</i>						<i>Jaeger = 1</i>
<i>Glaucous-wing Gull</i>	<i>4</i>							<i>Shearwater - fulmar = 1</i>
<i>Tufted Puffin</i>	<i>5</i>							<i>Cormorant = 1</i>
<i>Leach's Storm Petrel</i>	<i>1</i>							<i>Alcid = 1</i>
<i>Fork-tail Petrel</i>	<i>2</i>							
<i>Short-tail Shearwater</i>	<i>1</i>							
<i>Harlequin Duck</i>	<i>1</i>							
<i>Mottled Petrel</i>	<i>1</i>							

Location Adak straits to W of Moffet to N of Moffet
 Observer Max Thompson Date 19 October, 1965 Time 0725 to 0947
 Weather _____

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater								
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
<i>Black leg Kittiwake</i>	1							
<i>Glaucous wing Gull</i>		40						
<i>Short-tail Shearwater</i>	7							
<i>Fulmar</i>	3							
<i>Common Eider</i>	3							
<i>Cormorant</i>		11						
<i>alcid</i>		64						
<i>Jaeger</i>	1							
<i>Shearwater-Petrel</i>	1							